

# GTS 300

FULLY AUTOMATIC VERTICAL FORM-FILL SEAL MACHINE



## DAREPACK PACKAGING PVT. LTD.

Gat. No. 1405, Sanaswadi, Tal. Shirur, Dist. Pune - 412 208.

(Maharashtra) India

E-mail : [info@darepackpackaging.com](mailto:info@darepackpackaging.com)

Mob : +91-9850079331 / 8805029057


Web : [www.darepack.com](http://www.darepack.com)



# Applications



Snacks



Rice



Lentils



Milk Powder



Sugar



Spices



Detergents



Tea



Coffee



Agro Chemicals



Wheat Flour




Namkeen

## TECHNICAL DATA

MODELS	GTS 300 S	GTS 400 S
Reel Width	630 mm Max.	
Reel Diameter	450 mm Max	
Reel Core Diameter	76 mm	
Reel Weight	85 kg. Max. Higher Reel weight can be provided	
<b>PACKAGING MATERIALS</b>		
Commercially available heat sealable LLDPE, LDPE And Laminated Films		
<b>TYPICAL OUTPUT</b>		
Nominal Speed	Up to 80 cycles/Min.	Up to 120 cycles/Min.
<b>STANDARDS</b>		
COMPONENTS	ELECTRICAL CONTROL - Schneider , Siemens, Mitsubishi	
	Delta, HMI 7", Pneu - Festo /SMC ,	
<b>FILLERS / WEIGHERS</b>		
FILLERS	Auger Filler, Cup Filler	
WEIGHERS	MHW, Linear Vibrators, Gravity Scale	
<b>POUCH STYLES</b>		
Pillow Pouch Gusseted Block Bottom		
<b>OTHER OPTIONS</b>		
D CUT PUNCHING, EURO HOLE , PUNCH HOLE, V NOTCH AND EASY TEAR, PRODUCT FEEDING SYSTEMS, TAKE -UP CONVEYOR, METAL DETECTOR, CHECK WEIGHTER , MAINTENANCE PLATFORM		

# SERVO BELT WEIGHER



As an expert in Belt Weigher technology in India, "Darepack" has successfully installed numerous systems across a wide range of industries. Servo Belt Weighers are among the most **reliable and versatile solutions** for the **accurate weighing of granules and powders**.

With a **proven and well-engineered design**, Servo Belt Weigher has enabled industries to achieve **consistent, precise, and efficient packaging** of a wide range of products for over a decade.

## Applications




Industrial Products



Animal Foods



Breakfast Cereals



Home & Personal Care



Rice & Lentils



Seeds



Sugar

## STANDALONE SERVO BELT WEIGHER

Designed for precise weighing and filling of premade pouches and jars, this advanced servo-driven system ensures consistent accuracy and efficiency.

- Weighing Range: 25 g to 10 kg
- Ideal For: Granules and powders
- Output Capacity: Up to 30 dumps per minute

A perfect solution for reliable, high-performance packaging across diverse applications.


## Applications




Industrial Products



Animal Foods



Breakfast Cereals



Rice & Lentils




Seeds



Sugar



# AUGER FILLER



- Ideal For non-free flowing products.
- Auger height manually adjustable
- Servo motor control for high accuracy.
- Easy to change format parts.
- Available with control system integrated in packaging machine or separate

## AUGER FILLER TECHNICAL DATA

Variant	Small Auger Filler	Large Auger Filler
Filler Type	Volumetric	Volumetric
Filler Capacity	45 Liters	90 Liters
Dosing Range	20 CC - 5000 CC	300 CC - 25000 CC
Minimum Film Volume	20 CC	300 CC
Maximum Film Volume	5000 CC	25000 CC
Filler Drive	Servo	Servo
Dimensions	1405 x 550 x 1340	1625 x 690 x 500

## Applications



Industrial Products



Agrochemicals



Pharma



Dairy



Detergent



Tea & Coffee Powder



Floor



Spices & Condiments

# SERVO NET SCALE

A Dosing System for Granular Free Flowing Products,

Engineered for precision and performance in dusty and granular applications, This weigher offers accurate dosing from 50 g to 10 kg. Servo-operated filling gate, and a high-precision load cell, it ensures exceptional accuracy with output rates of up to 30 dumps per minute per track. Its modular design enables flexible multi-track configurations, supporting throughput of up to 100 dumps per minute, making it the ideal solution for high-speed, high-accuracy packaging operations.



## Applications



Industrial Products



Agrochemicals



Animal Foods



Breakfast Cereals



Pharma



Rice & Lentils



Seeds



Spices & Condiments